



HOW TO OPERATE INOX CLASPS

DOUBLE PRESS

1. Locate the clasp on your bracelet. Double press bracelet clasps have two small buttons on either side of the clasp that need to be pressed simultaneously to release the clasp.
2. Hold the bracelet securely with one hand and locate the buttons on the clasp with the other hand.
3. Place your thumb on one button and your forefinger on the other button. Apply gentle pressure to both buttons at the same time. You should hear a faint click as the clasp releases.
4. While still pressing the buttons, gently pull the two ends of the bracelet apart to fully open the clasp.
5. To close the clasp, simply push the two ends of the bracelet back together until you hear a click indicating that the clasp is secure.
6. Make sure the clasp is fully closed and secure before wearing your bracelet.



ANCHOR LOOP TOGGLE

1. Identify the toggle and loop on your bracelet. The toggle is the anchor-shaped component, while the loop is the circular component.
2. Hold the bracelet with one hand and use your other hand to grip the toggle.
3. Gently pull the toggle away from the loop. The loop should start to open up slightly.
4. Once the loop has opened up enough, slide the toggle through the loop.
5. Once the toggle is through the loop, release the toggle, and it should naturally fall back into its original position, securing the bracelet in place.
6. To remove the bracelet, simply follow the same steps in reverse: grip the toggle, pull it away from the loop, and slide it out of the loop.





HOW TO OPERATE INOX CLASPS

FOLD OVER

1. Identify the clasp: Look for the fold-over clasp on your bracelet. It is a type of clasp that folds over itself to secure the bracelet on your wrist.
2. Locate the opening: Find the opening on one side of the fold-over clasp. This is the part where you will insert your finger or a tool to release the clasp.
3. Insert a tool: If you don't want to use your fingers, you can use a small, pointed object like a paper clip or a pin to release the clasp. Insert the tool into the opening and gently lift the clasp.
4. Push the clasp: Once you have lifted the clasp, push it away from the opening with your fingers or the tool. This will release the clasp and allow you to open the bracelet.
5. Put on the bracelet: With the clasp open, place the bracelet on your wrist and close the clasp by pressing it down until it clicks into place.



ARICCI MECHANICAL

1. Locate the clasp on your Aricci mechanical bracelet. The clasp is the metal piece that holds the two ends of the bracelet together.
2. Hold the bracelet with one hand and use your other hand to hold the clasp.
3. Look for the small metal piece on the side of the clasp. This is the locking mechanism that holds the clasp closed.
4. Use your fingernail or a small tool, such as a toothpick, to push the metal piece up.
5. While holding the metal piece up, use your other hand to gently pull the two ends of the bracelet apart.
6. The clasp should now be open, allowing you to put on or take off the bracelet.
7. To close the clasp, simply push the two ends of the bracelet together until you hear a click.
8. Make sure the metal piece on the side of the clasp snaps back into place, indicating that the clasp is securely closed.





HOW TO OPERATE INOX CLASPS



MAGNETIC OVERLAP

1. Using both hands, grasp each side of the clasp with your thumb and forefingers.
2. Using gentle pressure, slide the clasp apart in an up/down motion until the bracelet is fully open.
3. To close, reverse the steps above.




SLIDE MAGNETIC



TABULAR PRESS



HOOP LOOP





COMO OPERAR LOS BROCHES DE INOX

DOBLE PRESIÓN

1. Localiza el broche en tu brazalete. Los broches de doble presión tienen dos pequeños botones a cada lado del broche que necesitan ser presionados simultáneamente para liberar el broche.
2. Sujeta el brazalete firmemente con una mano y localiza los botones en el broche con la otra mano.
3. Coloca tu pulgar en un botón y tu índice en el otro botón. Aplica una presión leve a ambos botones al mismo tiempo. Deberías escuchar un ligero clic cuando el broche se libera.
4. Mientras sigues presionando los botones, tira suavemente de los dos extremos del brazalete para abrir completamente el broche.
5. Para cerrar el broche, simplemente presiona los dos extremos del brazalete juntos hasta que escuches un clic que indique que el broche está seguro.
6. Asegúrate de que el broche esté completamente cerrado y seguro antes de usar tu brazalete.



INOX[®]
MEN'S JEWELRY

ANCLA DE LAZO DE PALANCA

1. Identifica la palanca y el lazo en tu brazalete. La palanca es el componente en forma de ancla, mientras que el lazo es el componente circular.
2. Sujeta el brazalete con una mano y usa la otra mano para agarrar la palanca.
3. Tira suavemente de la palanca del lazo. El lazo debería empezar a abrirse ligeramente.
4. Una vez que el lazo se haya abierto lo suficiente, desliza la palanca a través del lazo.
5. Una vez que la palanca esté a través del lazo, suelta la palanca y debería volver naturalmente a su posición original, asegurando el brazalete en su lugar.
6. Para quitar el brazalete, simplemente sigue los mismos pasos en reversa: agarra la palanca, tira del lazo y deslízala hacia afuera.





COMO OPERAR LOS BROCHES DE INOX

PLEGABLE

1. Identifica el broche: Busca el broche plegable en tu brazalete. Es un tipo de broche que se pliega sobre sí mismo para asegurar el brazalete en tu muñeca.
2. Encuentra la abertura: Busca la abertura en uno de los lados del broche plegable. Esta es la parte donde insertarás tu dedo o una herramienta para liberar el broche.
3. Inserta una herramienta: Si no quieres usar tus dedos, puedes usar un objeto pequeño y puntiagudo como un clip o un alfiler para liberar el broche. Inserta la herramienta en la abertura y levanta suavemente el broche.
4. Presiona el broche: Una vez que hayas levantado el broche, presiónalo hacia afuera de la abertura con tus dedos o la herramienta. Esto liberará el broche y te permitirá abrir el brazalete.
5. Coloca el brazalete: Con el broche abierto, coloca el brazalete en tu muñeca y cierra el broche presionándolo hacia abajo hasta que encaje en su lugar.



INOX[®]
MEN'S JEWELRY

ARICCI MECÁNICO

1. Localiza el broche en tu brazalete mecánico Aricci. El broche es la pieza de metal que sostiene los dos extremos del brazalete juntos.
2. Sostén el brazalete con una mano y utiliza la otra mano para sostener el broche.
3. Busca la pequeña pieza de metal en el costado del broche. Este es el mecanismo de bloqueo que mantiene cerrado el broche.
4. Usa tu uña o una herramienta pequeña, como un palillo de dientes, para empujar la pieza de metal hacia arriba.
5. Mientras sostienes la pieza de metal hacia arriba, utiliza tu otra mano para tirar suavemente de los dos extremos del brazalete para separarlos.
6. El broche debería estar ahora abierto, permitiéndote poner o quitar el brazalete.
7. Para cerrar el broche, simplemente empuja los dos extremos del brazalete juntos hasta que escuches un clic.
8. Asegúrate de que la pieza de metal en el costado del broche vuelva a su lugar, indicando que el broche está firmemente cerrado.





COMO OPERAR LOS BROCHES DE INOX

INOX
MEN'S JEWELRY

MAGNÉTICO

1. Usando ambas manos, agarra cada lado del broche con tu pulgar y dedos índice.
2. Usando una presión suave, desliza el broche hacia arriba/abajo hasta que el brazalete esté completamente abierto.
3. Para cerrar, invierte los pasos anteriores.



SLIDE MAGNETIC



TABULAR PRESS



HOOP LOOP

